

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(bus adj interface adj (logic or model)) and (memory adj intercae adj (logic or model)) and (hardware same software same co\$1simulation)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 15:11
L2	0	(bus adj interface adj (logic or model)) and (memory adj intercae adj (logic or model)) and (hardware same software same co\$1simulation)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 15:11
L3	0	(bus adj interface adj (logic or model)) and (memory adj intercae adj (logic or model))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 15:11
L4	0	(bus with interface with (logic or model)) and (memory with intercae with (logic or model))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 15:18
L5	1	"6134516".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 15:19
L6	1	"5768567".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 15:24
L7	8	quickturn.as. and co\$1simulat\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 15:25
L8	180	hardware same software same co\$simulat\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 15:34
L9	337	hardware same software same (co\$simulat\$5 or co\$1design\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 15:38
L10	204	I9 and bus and memory	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 15:38
L11	146	I9 and ((interfac\$4 or connect\$4 or designat\$4 or allocat\$4 or assign\$4 or rout\$4 of layout\$3) with bus) and ((interfac\$4 or connect\$4 or designat\$4 or allocat\$4 or assign\$4 or rout\$4 of layout\$3) with memory)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 15:41


L12	30	l11 not (fpga or (field adj program or programmable))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 17:04
L13	22	l12 and (map or mapping or symbol or allocat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/11 17:04
S1	63	(BAILEY-BRIAN-\$8 BROUHARD-MICHAEL-C JONES-JEFF\$1RY-\$5 KEHOE-DEVON-\$1).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/10 18:32
S2	2	(BAILEY-BRIAN-\$8 BROUHARD-MICHAEL-C JONES-JEFF\$1RY-\$5 KEHOE-DEVON-\$1).in. and (MENTOR-GRAPHICS MENTOR-GRAPHICS-AN-OREGON-COR PORATION MENTOR-GRAPHICS-CORP MENTOR-GRAPHICS-CORPORATION MENTOR-GRAPHICS-HOLDINGS-LTD MENTOR-GRAPHICS-HOLDING-LTD "MENTOR-GRAPHICS.TM").as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/10 18:37
S3	202	instruction adj set adj simulat\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/10 18:37
S4	41	S3 and (memory adj interface)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/10 18:37
S5	23	S4 and (bus adj interface)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/10 18:39
S6	0	S5 and symbol adj allocat\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/10 18:38

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☒ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **3** of **1124699** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

hardware <and> software <and> (co*simulat* <or> c

☐ Check to search within this result set
Results Key:**JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Domain-specific interface generation from dataflow specifications***Eisenring, M.; Teich, J.;*

Hardware/Software Codesign, 1998. (CODES/CASHE '98) Proceedings of the 5th International Workshop on , 15-18 March 1998

Pages:43 - 47

[\[Abstract\]](#)
[\[PDF Full-Text \(72 KB\)\]](#)

IEEE CNF

2 Efficient exploration of on-chip bus architectures and memory allocation*Sungchan Kim; Im, C.; Soonhoi Ha;*

Hardware/Software Codesign and System Synthesis, 2004. CODES + ISSS 2004 International Conference on , Sept. 8-10, 2004

Pages:248 - 253

[\[Abstract\]](#)
[\[PDF Full-Text \(599 KB\)\]](#)

IEEE CNF

3 Communication synthesis approach for distributed systems and its application during the design of a communication controller*Zitouni, A.; Abid, M.; Torki, K.; Souani, C.; Tourki, R.;*

Microelectronics, 1998. ICM '98. Proceedings of the Tenth International Conference on , 14-16 Dec. 1998


Pages:249 - 252

[\[Abstract\]](#)
[\[PDF Full-Text \(468 KB\)\]](#)

IEEE CNF

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved


[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Frøogle](#)
[Local^{New!}](#)
[more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 3 of about 4 for **quicksimpro manual**. (0.33 seconds)

Did you mean: **quicksim pro** manual

Sponsored Links

[PDF] **A Low-Power Low-Cost Microcontroller for Security Systems**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Arithmetic shift instructions (ASHU, ASHUI) are included in the instruction set to ...
 by the Epoch design compiler were functionally verified using **QuicksimPro**. ...
www.eecs.berkeley.edu/~ctsang/ee427.pdf - [Similar pages](#)

[Manuals](#)

Totally Free Deals on
 Manuals
FreebieFinder.org

[PDF] **EXPERIMENT NUMBER 2 Introduction to Hardware Software CoSimulation**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Mentor Graphics **QuickSimPro** XS40 and Wimp51 simulation model:
<http://www.ece.umn.edu> ... The Wimp51 instruction set is comprised of 13 instructions,
 listed in Table ...
www.ece.umn.edu/courses/cpe214/Cpe214_labs/lab2.pdf - [Similar pages](#)

Training Course Description - QuickSim Pro

* Course Selection *. ...

<https://www.mentor.com/uk/es/description/quicksimpro.html> - 39k - Supplemental Result -
[Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 3 already displayed.

If you like, you can repeat the search with the omitted results included.


Did you mean to search for: **quicksim pro** manual

 Free! [Google Desktop Search](#): Search your own computer.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

**Web**Results 1 - 10 of about **982** for **hardware software cosimulation bus memory**. (0.37 seconds)

[PDF] **EXPERIMENT NUMBER 2 Introduction to Hardware Software CoSimulation**

Sponsored Links

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Introduction to **Hardware Software CoSimulation** ... you will test your design on the actual **hardware**. ... You will be developing **software** for the Wimp51 microprocessor. ...

www.ece.umn.edu/courses/cpe214/Cpe214_labs/lab2.pdf - [Similar pages](#)

[Coach Manager PHC](#)

Industry leading **software** for coach and **bus** companies.

www.distinctive-systems.com

[PDF] **A Heterogeneous Environment for Hardware/Software Cosimulation ***

File Format: PDF/Adobe Acrobat

... be familiar with the PC ISA **bus** and 16 ... ure 4 was chosen as the **cosimulation** application. ... could be used to investigate the **hardware/software** partitioning problem ...

doi.ieeecomputersociety.org/10.1109/SIMSYM.1997.586458 - [Similar pages](#)

IDA: Codesign of Embedded Systems: Status and Trends

... An example of this approach is the **cosimulation** tool Seamless CVS from Mentor ... with the **memory** depending on concurrent access from **hardware** and **software**. ...

www.ida-ing.tu-bs.de/research/groups/article/dt/p1.e.shtml - 13k - [Cached](#) - [Similar pages](#)

[PDF] **Hardware – Software Co-Simulation with System C By Richard ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **CoSimulation** with TPS SW Start ... Simulation with TPS can provide **software** timing and help ... Start with a simple **bus**-model to simulate **hardware** address ...

www.nascug.org/Presentations/NASCUG_2004.2-Ruigrok.pdf - [Similar pages](#)

[PDF] **Cosimulation II**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... interpreter for the embedded **software**. – No **hardware** mode. **Software** executed on ISA model. ... model provides timing (clock) details of the **cosimulation**. ...

courses.cs.tamu.edu/rabi/cpsc689/lectures/lecture12/cosimulation2.pdf - [Similar pages](#)

[PDF] **Virtual Prototyping For Modular And Flexible Hardware-Software ...**

File Format: PDF/Adobe Acrobat

... An analysis of the prototype system indicates that this solution confirms the results obtained during **cosimulation**. ... **SOFTWARE PART ... HARDWARE PART ...**

www.ingentaconnect.com/content/klu/daem/1997/00000002/F0020003/00134560 -

[Similar pages](#)

Interactive Cosimulation with Partial Evaluation

... We next evaluated the design iteration time for a **cosimulation** using a ... and plaintext (2 * 128 bits of data) are transferred between **software** and **hardware**. ...

www.ee.ucla.edu/~schaum/gezel/date04/ - 19k - [Cached](#) - [Similar pages](#)

[PDF] **Part 1: Introduction to Hardware/Software Codesign Part 1 ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... processor g **Software** synthesis: ... Ahmed A. Jerraya Tutorial DATE 9-03-99 **Hardware Synthesis Hardware Synthesis System-Level model ... COSIMULATION BUS L1 L2 Ln ...**

tima.imag.fr/SLS/documents/date99.pdf - [Similar pages](#)

CIS*6090Hardware/Software Co-design of Embedded Systems [0.50]

... **hardware** components: integrated circuits, peripherals, memories, **bus** protocols. ... on
FPGA). SystemC (for **hardware/software** codesign and **cosimulation**). ...
www.uoguelph.ca/~gardnerw/courses/cis6090/ - 20k - [Cached](#) - [Similar pages](#)

[PPT] ENGIN112 - lecture 2

File Format: Microsoft Powerpoint 97 - View as HTML

... **Cosimulation**. Lecture 22: **Hardware/Software Codesign**. ... SW. Co-Design Methodology. Lecture 22: **Hardware/Software Codesign**. ... **bus**. Lecture 22:

Hardware/Software Codesign ...

www.ecs.umass.edu/ece/tessier/courses/697ff/lect22-ece697f.ppt - Similar pages

Goooooooooooooogle ▶

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)


 Free! Google Desktop Search: Search your own computer.

hardware software cosimulation to

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web Results 1 - 10 of about 143 for "**mentor graphics**" "**bus interface**" "**memory interface**". (0.32 seconds)

Chip Design Magazine

... CA) and ModelSim VHDL simulator from **Mentor Graphics** Corp. ...
We selected a subset of our ASIC design - the memory **bus interface**
logic - and proceeded ...
www.chipdesignmag.com/display.php?articleId=25&issueId=4%09 - 28k
- [Cached](#) - [Similar pages](#)

Sponsored Links

Bus Graphics at Buswraps
Quality **Bus Wraps** - U.S. & Canada
Buswraps.com™ - Since 1993
www.buswraps.com

Leopard Logic Introduces First Gladiator CLD Reference Design

... with a 133 MHz Power PC **bus interface**, a 266 MHz DDR **memory interface**, ...
Leopard Logic IP partners Eureka Technology, **Mentor Graphics** and Amphion ...
www.mentor.com/products/ip/news/ip_leopard_logic.cfm - 24k - [Cached](#) - [Similar pages](#)

D&R Silicon IP Catalog: Mentor Graphics (IP Division) IP Listing

... **Mentor Graphics** is a world leader in communication standards-based IP cores. ... A-MCXFIF, 10/100/100 Mb/s FIFO **Memory Interface** for the PE-MCXMAC ...
www.us.design-reuse.com/sip/provider.php?prov=27 - 85k - [Cached](#) - [Similar pages](#)

Infineon and Mentor Graphics Team to Provide System-on-Chip ...

... Features such as the **memory interface**, system control and interrupt control ... Infineon Technologies AG and **Mentor Graphics** Corporation undertake no ...
www.us.design-reuse.com/news/news2038.html - 48k - [Cached](#) - [Similar pages](#)
[[More results from www.us.design-reuse.com](#)]

[PDF] Putting the e into Elegant Verification

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **bus interface** logic – and proceeded with the evaluation. PUTTING THE ... interface between Specman Elite and **Mentor Graphics**'. ModelSim VHDL simulator. ...
www.verisity.com/news/press/chipdesign_0404.pdf - [Similar pages](#)

[PDF] XAPP246 "PowerPC 60X Bus Interface to a Virtex-E Device" v1.0 (12/00)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... describes a reference design using a PowerPC™ 60X **bus interface** with ... **memory interface**. Flash write cycles are not supported in the reference design. ...
direct.xilinx.com/bvdocs/appnotes/xapp246.pdf - [Similar pages](#)

Interfaces & Peripherals

... **Mentor Graphics** - Inventra, Try OpenCore, AMPP Approved, Stratix, ... Software Boot Over Active Serial **Memory Interface** (ASMI) Reference Design ...
www.altera.com/.../iup/ipm-index.jsp?keywords=&searchtype=onTableSearch&mftab=mf&mfstart=10000 - 119k - [Cached](#) - [Similar pages](#)

[PDF] Converting Triscend TE5 Designs to Actel Flash-Based FPGAs

File Format: PDF/Adobe Acrobat

... electronic design automation (EDA) vendors such as **Mentor Graphics** ... system, the **memory interface** design is up to the developer. ...
www.actel.com/documents/Triscend_Conv_AN.pdf - [Similar pages](#)

[PDF] Blue Logic ZSP400 DSP Core

File Format: PDF/Adobe Acrobat

... **Memory Interface**. Unit (MIU). The MIU provides an inter-. face to memory devices ... and **bus interface** models)., **Mentor Graphics** (seamless ... [www-306.ibm.com/.../techlib.nsf/techdocs/ 599C1DCBEF551C1D87256A2D00641980/ \\$file/IBM040ZSPBrief_v4.pdf](http://www-306.ibm.com/.../techlib.nsf/techdocs/599C1DCBEF551C1D87256A2D00641980/$file/IBM040ZSPBrief_v4.pdf) - [Similar pages](#)

Electronic Products

... external **memory interface** for SDRAM, SBSRAM, and ... and **bus interface** logic. (From \$995--stock to 3 weeks ARO.) WinSystems Arlington, TX ...
www.electronicproducts.com/ShowPage.asp?
SECTION=3700&PRIMID=&FileName=augPU.aug2001 - 40k - [Cached](#) - [Similar pages](#)



Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**




 Free! Google Desktop Search: Search your own computer.

"mentor graphics" "bus interface"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web

Bus Graphics at Buswraps

Sponsored Link

www.buswraps.com Quality **Bus** Wraps - U.S. & Canada Buswraps.com™ - Since 1993

Tip: Try removing quotes from your search to get more results.

Sponsored Links

Your search - **"mentor graphics" "bus interface model" "memory interface model"** - did not match any documents.

Nothing is Too Big
Fastsigns can provide **graphics** for any size vehicle, even buses
www.Fastsigns.com

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Bus Graphics
Shop for **Graphics** Cards!
Find, Compare and Buy
www.Shopping.com

Also, you can try [Google Answers](#) for expert help with your search.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google